CORKSCREW FARMS COMMUNITY DEVELOPMENT DISTRICT

August 14, 2019 Board of Supervisors Public Hearings and Regular Meeting Minutes of the Public Hearings and Regular Meeting The Public Hearings and Regular Meeting of the Corkscrew Farms Community Development District was held on Wednesday, August 14, 2019 at 1:00 p.m. at The Place at Corkscrew, located at 4954 Royal Gulf Circle, Fort Myers, FL 33966. 1. CALL TO ORDER/ROLL CALL Cheryl Smith called the Public Hearings and Regular Meeting of the Board of Supervisors of the Corkscrew Farms Community Development District to order on Wednesday, August 14, 2019 at 1:00 p.m. Board Members Present at the onset of the meeting: Supervisor Cheryl Smith There were no members of the general public present. 2. PUBLIC COMMENT ON AGENDA ITEMS There were no public comments on agenda items. 3. CONTINUE THE PUBLIC HEARING AND REGULAR MEETING TO SEPTEMBER 11, 2019 AT 1:00 P.M. AT THE PLACE AT CORKSCREW LOCATED AT 4654 ROYAL **GULF CIRCLE, FORT MYERS, FL 33966** The meeting and public hearing was continued to September 11, 2019 at 1:00 p.m. at the Place at Corkscrew located at 4654 Royal Gulf Circle, Fort Myers, FL 33966.

Official District Seal

35 *Please note the entire meeting is available on disc. 36 37 *These minutes were done in a summary format. 38 39 *Each person who decides to appeal any decision made by the Board with respect to any matter considered 40 at the meeting is advised that person may need to ensure that a verbatim record of the proceedings is made, 41 including the testimony and evidence upon which such appeal is to be based. 42 Meeting minutes were approved at a meeting by vote of the Board of Supervisors at a publicly noticed meeting held on 05/20/2020. 43 44 MID 45 Brian Lamb 46 Signature 47 **Signature** 48 Joseph Cameratta Brian Lamb 49 50 **Printed Name Printed Name** 51 52 Title: Title: 53 X Chair **∑** Secretary 54 □ Vice Chair □ Assistant Secretary 55 56 Recorded by Records Administrator 57 Brittany Crutchfield 58 59 Signature 60 05/22/2020 61 62 Date